

Data on *Buchonomyia thienemanni* Fittkau (Diptera: Chironomidae) from Slovakia

Peter Bitušík¹ and Patrick Ashe²

¹Faculty of Science, Matthias Belius University, Banská Bystrica, Slovakia. E-mail: peter.bitusik@umb.sk
²33 Shelton Drive, Terenure, Dublin 12, Ireland. E-mail: patrick.ashe@upcmail.ie

All known records of *Buchonomyia thienemanni* Fittkau from Slovakia are summarised below which includes two records from the Žilina Region and one record each from the regions of Levice and Sered'. Bitušík (1987) published the first record of the species for Slovakia from the Rajčianka submontane brook. The species was also found during a study on the longitudinal zonation of chironomid assemblages in the River Hron (Bitušík et al. 2006). Specimens from all localities are based on pupal exuviae collected with drift nets. Details on two previously unpublished records are provided.

SLOVAKIA: Žilina: 21 July 1979, below the village of Rajecká Lesná at 480 m, Rajčianka submontane brook, 49° 03' 25" N, 18° 37' 21" E, leg. P. Bitušík (Bitušík 1987); 17 July 1994, below the village of Varín at 353 m, Varínka submontane brook, 49° 11' 48" N, 18° 52' 14" E, leg. P. Bitušík; **Levice:** 3 July 2003, close to the village of Jur at 142 m, River Hron, 48° 07' 47" N, 18° 36' 41" E, leg. P. Bitušík (Bitušík et al. 2006); **Sered':** 10 June 2009, above the reservoir of Kráľová at 120 m, River Váh, 48° 15' 40" N, 17° 46' 25" E, leg. S. Ščerbaková.

References

- Bitušík, P. 1987. To the knowledge of Chironomidae (Diptera) of Czechoslovakia. – *Biologia (Bratislava)* 42: 207-211.
- Bitušík, P., Svitok, M. and Dragúňová, M. 2006. The actual longitudinal zonation of the River Hron (Slovakia) based on chironomid assemblages (Diptera, Chironomidae). – *Acta Universitatis Carolinae Biologica* 50: 5-17.